



PULLEY AND SNATCH BLOCK

US TYPE PULLEY BLOCKS
EUROPEAN TYPE PULLEY BLOCKS
KOREA TYPE PULLEY BLOCKS
MARINE SNATCH BLOCKS
WOODEN BLOCKS
STEEL PLATE PULLEYS
BLACK PULLEY BLOCKS
STAINLESS STEEL PULLEYS

US TYPE PULLEY BLOCKS

LIGHT TYPE CHAMPION SNATCH BLOCK WITH HOOK H418



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
3	2	3/8
4 1/2	4	1/2
6	8	3/4
8	8	3/4
10	8	3/4
12	8	3/4
14	8	3/4
16	15	7/8
18	15	1

LIGHT TYPE CHAMPION SNATCH BLOCK WITH SHACKLE H419



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
3	2	3/8
4 1/2	4	1/2
6	8	3/4
8	8	3/4
10	8	3/4
12	8	3/4
14	8	3/4
16	15	7/8
18	15	1

LIGHT TYPE CHAMPION SNATCH BLOCK DOUBLE WITH HOOK H408



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
4 1/2	4	1/2
6	12	3/4
8	12	3/4
10	12	3/4
12	12	3/4
14	12	3/4
16	15	7/8
18	15	1

LIGHT TYPE CHAMPION SNATCH BLOCK DOUBLE WITH SHACKLE H409



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
4 1/2	4	1/2
6	12	3/4
8	12	3/4
10	12	3/4
12	12	3/4
14	12	3/4
16	15	7/8
18	15	1

US TYPE SNATCH BLOCK H416



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	3/4
8	12	3/4-7/8
10	12	3/4-7/8

US TYPE SNATCH BLOCK H417



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	3/4
8	12	3/4-7/8
10	12	3/4-7/8

CHAMPION SNATCH BLOCK WITH HOOK H420



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	7/8
8	15	7/8
10	15	7/8

CHAMPION SNATCH BLOCK WITH SHACKLE H421



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	7/8
8	15	7/8
10	15	7/8

SUPER CHAMPION SNATCH BLOCK WITH HOOK H430



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
8	20	1 1/8
10	20	1 1/8
10	30	1 1/8
12	20	1 1/8
14	20	1 1/8
18	25	1 1/8
20	30	1 1/8

SUPER CHAMPION SNATCH BLOCK WITH SHACKLE H431



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
8	20	1 1/8
10	20	1 1/8
10	30	1 1/8
12	20	1 1/8
14	20	1 1/8
18	25	1 1/8
20	30	1 1/8

US TYPE SNATCH BLOCK H402



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	3/4
8	12	3/4-7/8
10	12	3/4-7/8

LIGHT TYPE CHAMPION SNATCH BLOCK TAIL BOARD H404



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
3	2	3/8
4 1/2	4	1/2
6	8	3/4
8	8	3/4
10	8	3/4
12	8	3/4

CHAMPION SNATCH BLOCK TAIL-BOARD H406



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
6	12	7/8
8	15	7/8
10	15	7/8

SUPER CHAMPION SNATCH BLOCK TAIL -BOARD



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
8	20	1 1/8
10	20	1 1/8
10	30	1 1/8
12	20	1 1/8
14	20	1 1/8

H418-EUROPEAN TYPE SNATCH BLOCK WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN.)
3	2	3/8
4 1/2	4	1/2
6	8	3/4
8	8	3/4
10	10	3/4

H419-EUROPEAN TYPE SNATCH BLOCK WITH SHACKLE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN.)
3	2	3/8
4 1/2	4	1/2
6	8	3/4
8	8	3/4
10	10	3/4
14	20	3/4
16	15	7/8
18	15	1

KOREA TYPE PULLEY BLOCKS

KOREAN TYPE SNATCH BLOCK SK01



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	1	16
4	1.5	18
5	2	24

KOREAN TYPE SNATCH BLOCK SK02



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	1	16
4	1.5	18
5	2	24

KOREAN TYPE SNATCH BLOCK SK03



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	12
4	1	16
5	2	18
6	5	24
12	20	38

KOREAN TYPE SNATCH BLOCK SK04



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
6	5	20
8	7.5	28
15	15	26

KOREAN TYPE SNATCH BLOCK SK05



SIZE	S.W.L	DIAM OF ROPE
(IN)	(TON)	(MM)
5	3	26
6	5	28

KOREAN TYPE SNATCH BLOCK SK06



SIZE	S.W.L	DIAM OF ROPE
(IN)	(TON)	(MM)
3	1	16
4	2	24
5	2	24
6	3	30

KOREAN TYPE SNATCH BLOCK SK07



SIZE	S.W.L	DIAM OF ROPE
(IN)	(TON)	(IN)
4	1	3/8
6	2	1/2
8	3	5/8
10	4	5/8
12	5	5/8-3/4

MARINE SNATCH BLOCKS

TRAWL BLOCK FOR MARINE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
4	2	16
6	5	26
8	10	36
12	10	48
16	20	50
22	30	88

STAINLESS STEEL TRAWL BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
4	2	16
6	5	26
8	10	36
12	10	48
16	20	50
20	30	88
22	30	88

OVAL EYE MARINE SNATCH BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
5	3	18-20
6	5	20-22

HC SERIES ROUND EYE SINGLE WHEEL MARINE SNATCH BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
6	2	10-13
8	3	16-20
10	3	16-20
12	5	20-22
14	5	20-24
16	10	24-26
17	16	26-28
18	20	26-28

HC SERIES OVAL EYE SINGLE WHEEL MARINE SNATCH BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
6	2	10-13
8	3	16-20
10	3	16-20
12	5	20-22
14	5	20-24
16	10	24-26
17	16	26-28
18	20	26-28

HC SERIES DOUBLE WHEEL MARINE SNATCH BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
8	5	16-20
10	8	16-20
12	10	20-22
14	16	20-24
16	20	24-26
17	25	26-28
18	32	26-28

WOODEN BLOCKS

REGULAR WOOD BLOCK-SINGLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	3/8
4	1000	1/2
5	1200	5/8
6	1800	3/4
8	2800	1
10	4000	1 1/8
12	5000	1 1/4

REGULAR WOOD BLOCK-DOUBLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	3/8
4	1400	1/2
5	1800	5/8
6	2500	3/4
8	3800	1
10	6000	1 1/8
12	8000	1 1/4

REGULAR WOOD BLOCK-TRIPLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	1200	3/8
4	1800	1/2
5	2400	5/8
6	3200	3/4
8	4800	1
10	8000	1 1/8
12	10000	1 1/4

REGULAR WOOD BLOCK-SINGLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	3/8
4	1000	1/2
5	1200	5/8
6	1800	3/4
8	2800	1
10	5000	1 1/8
12	6800	1 1/4
14	9600	1 3/4
16	12000	2

REGULAR WOOD BLOCK·DOUBLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	3/8
4	1400	1/2
5	1800	5/8
6	2500	3/4
8	3800	1
10	7700	1 1/8
12	10600	1 1/4
14	15000	1 3/4
16	19000	2

REGULAR WOOD BLOCK·TRIPLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	1200	3/8
4	1800	1/2
5	2400	5/8
6	3200	3/4
8	4800	1
10	8000	1 1/8
12	10000	1 1/4

REGULAR WOOD BLOCK·SINGLE WITH SWIVEL EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	3/8
4	1000	1/2
5	1200	5/8
6	1800	3/4
8	2800	1
10	5000	1 1/8
12	6800	1 1/4

REGULAR WOOD BLOCK·DOUBLE WITH SWIVEL EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	3/8
4	1400	1/2
5	1800	5/8
6	2500	3/4
8	3800	1
10	7700	1 1/8
12	10600	1 1/4

REGULAR WOOD BLOCK·TRIPLE WITH SWIVEL EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	1200	3/8
4	1800	1/2
5	2400	5/8
6	3200	3/4
8	4800	1
10	8000	1 1/8
12	10000	1 1/4

REGULAR WOOD BLOCK·SINGLE WITH SWIVEL HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	3/8
4	1000	1/2
5	1200	5/8
6	1800	3/4
8	2800	1
10	5000	1 1/8
12	6800	1 1/4

REGULAR WOOD BLOCK·DOUBLE WITH SWIVEL HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	3/8
4	1400	1/2
5	1800	5/8
6	2500	3/4
8	3800	1
10	7700	1 1/8
12	10600	1 1/4

REGULAR WOOD BLOCK·TRIPLE WITH SWIVEL HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	1200	3/8
4	1800	1/2
5	2400	5/8
6	3200	3/4
8	4800	1
10	8000	1 1/8
12	10000	1 1/4

WOODEN SHELL MANILA SNATCH BLOCK WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	7600	1 1/2

WOODEN SHELL MANILA SNATCH BLOCK WITH HOOK SELF LOCKING



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
6	3000	7/8
8	5000	1 1/8
10	8000	1 1/4
12	10000	1 1/2

WOODEN SHELL MANILA SNATCH BLOCK WITH EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	7600	1 1/2

WOODEN SHELL MANILA SNATCH BLOCK WITH EYE SELF LOCKING



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
6	3000	7/8
8	5000	1 1/8
10	8000	1 1/4
12	10000	1 1/2

SHIP'S INTERNAL-BOUND BLOCK·SINGLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	180	14
180	290	18
200	350	20
220	420	22
240	500	24

SHIP'S INTERNAL-BOUND BLOCK·SINGLE WITH LINK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	180	14
180	290	18
200	350	20
220	420	22
240	500	24

SHIP'S INTERNAL-BOUND BLOCK·SINGLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	180	14
180	290	18
200	350	20
220	420	22
240	500	24

SHIP'S INTERNAL-BOUND BLOCK·DOUBLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	660	14
180	1100	18
200	1300	20
220	1600	22
240	1800	24

SHIP'S INTERNAL-BOUND BLOCK·DOUBLE WITH LINK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	660	14
180	1100	18
200	1300	20
220	1600	22
240	1800	24

SHIP'S INTERNAL-BOUND BLOCK·DOUBLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
140	660	14
180	1100	18
200	1300	20
220	1600	22
240	1800	24

SHIP'S INTERNAL-BOUND BLOCK·TRIPLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
200	1800	20
220	2100	22
240	2500	24

SHIP'S INTERNAL-BOUND BLOCK·TRIPLE WITH LINK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
200	1800	20
220	2100	22
240	2500	24

SHIP'S INTERNAL-BOUND BLOCK·TRIPLE WITH SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
200	1800	20
220	2100	22
240	2500	24

JIS TIGHTWIRE WOODEN BLOCK WITH SINGLE WHEEL



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
120	130	12
140	180	14
180	290	18

JIS TIGHTWIRE WOODEN BLOCK WITH DOUBLE WHEEL



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
120	490	12
140	660	14
180	1100	18

JIS WOODEN PULLEY·SINGLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	6
4	1000	9
5	1200	12
6	1800	14
7	2300	16
8	2800	18
9	3500	20
10	4000	22
12	5000	24

JIS WOODEN PULLEY·SINGLE WITH EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	500	6
4	1000	9
5	1200	12
6	1800	14
7	2300	16
8	2800	18
9	3500	20
10	4000	22
12	5000	24

JIS WOODEN PULLEY·DOUBLE WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	6
4	1400	9
5	1800	12
6	2500	14
7	3200	16
8	3800	18
9	5000	20
10	6000	22
12	8000	24

JIS WOODEN PULLEY·DOUBLE WITH EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
3	800	6
4	1400	9
5	1800	12
6	2500	14
7	3200	16
8	3800	18
9	5000	20
10	6000	22
12	8000	24

STEEL PLATE PULLEYS

YBO TYPE ORANGE SNATCH BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	6
4	1	9
5	1.5	12
6	2	14
8	4	16

YBO TYPE ORANGE SNATCH BLOCK DOUBLE WHEEL



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	6
4	1	9
5	1.5	12
6	2	14
8	4	16

YBS TYPE ORANGE SNATCH BLOCK WITH SHACKLE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	6
4	1	9
5	1.5	12
6	2	14
8	4	16

RED SNATCH BLOCK WITH SHACKLE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	1.5	4~6
4	3	6~9
5	4.5	8~12
6	6	10~14
8	8	14~18

RED SNATCH BLOCK WITH EYE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	1.5	4~6
4	3	6~9
5	4.5	8~12
6	6	10~14
8	8	14~18

3211 PULLEY BLOCK SINGLE WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	6
3	0.5	8
4	0.8	10
5	1.5	13
6	2	16

3221 PULLEY BLOCK SINGLE WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	6
3	0.5	8
4	0.8	10
5	1.5	13
6	2	16

3212 PULLEY BLOCK DOUBLE WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	6
3	0.5	8
4	0.8	10
5	1.5	13
6	2	16
7	3	19

3222 PULLEY BLOCK·DOUBLE WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	6
3	0.5	8
4	0.8	10
5	1.5	13
6	2	16
7	3	19

3213 PULLEY BLOCK·TRIPLE WITH HOOK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	6
3	0.5	8
4	0.8	10
5	1.5	13
6	2	16

PULLEY BLOCK·SINGLE WITH HOOK K TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25
12	6	28

PULLEY BLOCK·SINGLE WITH EYE K TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25
12	6	28

PULLEY BLOCK·DOUBLE WITH HOOK·K TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25
12	6	28

PULLEY BLOCK WITH HOOK·DOUBLE K TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25

PULLEY BLOCK·DOUBLE WITH EYE K TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25

PULLEY BLOCK·SINGLE WITH HOOK·B TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25

PULLEY BLOCK·DOUBLE WITH OVAL EYE B TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25

PULLEY BLOCK·DOUBLE WITH OVAL EYE·B TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13
6	2	16
7	3	19
8	4	22
10	5	25

PULLEY BLOCK·TRIPLE WITH OVAL EYE·B TYPE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.5	8
4	1	10
5	1.5	13

SINGLE STEEL BLOCK WITH HOOK·HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1100	1/2
6	2000	3/4
8	3300	1
10	6600	1 1/4

DOUBLE STEEL BLOCK WITH HOOK · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1600	1/2
6	3300	3/4
8	5100	1
10	8800	1 1/4

TRIPLE STEEL BLOCK WITH HOOK · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	2200	1/2
6	4000	3/4
8	7000	1
10	11000	1 1/4

SINGLE STEEL BLOCK WITH SWIVEL HOOK · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1100	1/2
6	2000	3/4
8	3300	1
10	6600	1 1/4

DOUBLE STEEL BLOCK WITH SWIVEL HOOK · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1600	1/2
6	3300	3/4
8	5100	1
10	8800	1 1/4

TRIPLE STEEL BLOCK WITH SWIVEL HOOK · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	2200	1/2
6	4000	3/4
8	7000	1
10	11000	1 1/4

SINGLE STEEL BLOCK WITH SHACKLE · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1100	1/2
6	2000	3/4
8	3300	1
10	6600	1 1/4

DOUBLE STEEL BLOCK WITH SHACKLE · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1600	1/2
6	3300	3/4
8	5100	1
10	8800	1 1/4

TRIPLE STEEL BLOCK WITH SHACKLE · HEMP ROPE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	2200	1/2
6	4000	3/4
8	7000	1
10	11000	1 1/4

SNATCH BLOCK WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1200	3/4
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	9600	1 1/2

SNATCH BLOCK WITH HOOK SELF LOCKING



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1500	3/4
6	3000	7/8
8	5000	1 1/8
10	8000	1 1/4
12	10000	1 1/2

SS SNATCH BLOCK WITH HOOK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1200	3/4
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	9600	1 1/2

SNATCH BLOCK WITH EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1200	3/4
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	9600	1 1/2

SNATCH BLOCK WITH EYE SELF LOCKING



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1500	3/4
6	3000	7/8
8	5000	1 1/8
10	8000	1 1/4
12	10000	1 1/2

SS SNATCH BLOCK WITH EYE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1200	3/4
6	2400	7/8
8	4800	1 1/8
10	6600	1 1/4
12	9600	1 1/2

SNATCH BLOCK WITH SWIVEL SHACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
4	1500	3/4
6	3000	7/8
8	5000	1 1/8
10	8000	1 1/4
12	10000	1 1/2

GALVANISED MALLEABLE IRON(CAST STEEL) BLOCK WITH SINGLE SHEAVE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.2	12
4	0.4	16
5	0.5	18
6	1	24
7	1.1	26
8	1.2	28
9	1.5	30

GALVANISED MALLEABLE IRON(CAST STEEL) BLOCK WITH DOUBLE SHEAVE



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
3	0.2	12
4	0.4	16
5	0.5	18
6	1	24
7	1.1	26
8	1.2	28
9	1.5	30

ROLLER SHACKLE



SIZE (MM)	S.W.L (TON)	DIAM OF ROPE (MM)
25	3	20
28	4	24
32	5	34

RIGGING BLOCK



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (MM)
2	0.25	8
3	0.75	12
4	1	14
5	1.5	16
6	2	19

HAY FORK PULLEY



SIZE (IN)	S.W.L (TON)	DIAM OF ROPE (IN)
4	1	1 1/4
4	1	1/2
6	2	1 1/2
6	2	5/8

SWIVEL EYE BLOCK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
2	600	3/16
3	800	1/4
4	1700	3/8
5	1850	3/8

FLAT MOUNT BLOCK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
2	600	3/16
3	800	1/4
4	1700	3/8
5	1850	3/8

GREEN TACKLE



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
8	1000	7/8
10	1000	1
12	1000	1
14	1000	1

ROOFING AND GIN BLOCK



SIZE (IN)	S.W.L (LBS)	DIAM OF ROPE (IN)
10	1000	1
12	1000	1
14	1000	1

LIFTING CONSTRUCTION PULLEY BLOCK



Item	(TON) Working Load	(mm) Suitable Steel Wire Dia	(mm) Pulley Dia
Double pulley hook (swinging ring) tackle	1	6.2	85
	2	7.7	106
	3.2	11	142
	5	12.5	166
	8	15.5	202
	10	17	226
	16	23	300
	20	26	348
	32	31	436
Three pulley (swinging ring) tackle	3.2	7.7	106
	5	11	142
	8	12.5	166
	10	15.5	202
	16	17	226
	20	20	264
	32	26	348
	50	31	436
Four-pulley swinging ring tackle	8	11	142
	10	12.5	166
	16	15.5	202
	20	17	226
	32	23	300
	50	28	390
Five-pulley swinging ring tackle	20	15.5	202
	32	20	264
	50	26	348
	80	31	436
Six-pulley swinging ring tackle	32	17	226
	50	23	300
	80	28	390
	100	31	436
Eight-pulley swinging ring tackle	80	26	348
	100	28	390
	160	31	436
	200	34	490
Ten-pulley swinging	200	31	436

SINGLE WHEEL OPEN CRANE PULLEY BLOCK



WLL(T)	TESTINGLOAD(K N)	DIAMETER OF WIRE ROPE		WEIGHT (kg)
		SUIT ABILITY	MAX	
0.32	5.12	5	6	1.1
0.5	8	6.2	7.7	1.63
1	16	7.7	11	2.84
2	32	11	14	5.78
3.2	51	12.5	15.5	9.41
5	80	15.5	18.5	15.5
8	128	20	23	33
10	160	23	24.5	43.5
16	224	28	31	100
20	280	31	35	133.5
32	448	35	38	300
50	800	44	48	570

POWER TRANSMISSION LIFTING PULLEY BLOCK



(WHEELS)	(KN)	(mm)	(Kg)
1	10	Ø7.7	3.0
2	10	Ø5.7	3.0
3	10	Ø5.7	4.3
1	20	Ø11.0	4.7
2	20	Ø7.7	5.3
3	20	Ø7.7	7.2
1	30	Ø12.5	6.5
2	30	Ø11.0	7.8
3	30	Ø7.7	10.5
1	50	Ø15.5	9.0
2	50	Ø12.5	10.8
3	50	Ø11.0	13.8
1	80	Ø18.5	14.4
2	80	Ø15.5	19.0
3	80	Ø12.5	19.8
1	100	Ø20.0	21.0
2	100	Ø15.5	24.0
3	100	Ø15.5	24.8

STEEL PULLEY



SIZE (IN)	S.W.L (KGS)	DIAM OF ROPE (MM)
1 1/2	300	5
2 1/2	300	5
3 1/2	450	12
3 1/2	450	12
3.5	450	12
3.5	450	12

MALLEABLE FIXED EYE SINGLE SHEAVE PULLEY



SIZE (IN)	S.W.L (KGS)	DIAM OF ROPE (IN)
1/2	50	5/32
3/4	75	3/16
1	100	1/4
1 1/4	150	5/16
1 3/8	200	5/16
1 1/2	250	5/16
1 3/4	275	3/8
2	300	7/16
2 1/2	350	1/2
3	400	5/8
4	450	3/4
5	500	3/4

MALLEABLE FIXED EYE DOUBLE SHEAVE PULLEY



SIZE (IN)	S.W.L (KGS)	DIAM OF ROPE (IN)
1/2	50	5/32
3/4	75	3/16
1	100	1/4
1 1/4	150	5/16
1 1/2	250	5/16
2	300	7/16
2 1/2	350	1/2
3	400	5/8
4	450	3/4
5	500	3/4

FIXED EYE SINGLE WHEEL ZINC ALLOY CAST PULLEY



SIZE	DIA ROPE SINE	GM/PC
1/2"	5/32"	15
3/4"	3/16"	24
1"	1/4"	43
1 1/4"	5/16"	70
1 1/2"	3/8"	85
2"	7/16"	170

FIXED EYE DOUBLE WHEEL ZINC ALLOY CAST PULLEY



SIZE	DIA ROPE SINE	GM/PC
1/2"	5/32"	24
3/4"	3/16"	36
1"	1/4"	69
1 1/4"	5/16"	115
1 1/2"	3/8"	140
2"	7/16"	282

SWIVEL EYE SINGLE WHEEL ZINC ALLOY CAST PULLEY



SIZE	DIA ROPE SINE	GM/PC
1/2"	5/32"	19
3/4"	3/16"	27
1"	1/4"	47
1 1/4"	5/16"	80
1 1/2"	3/8"	95
2"	7/16"	166

SWIVEL EYE DOUBLE WHEEL ZINC ALLOY CAST PULLEY



SIZE	DIA ROPE SINE	GM/PC
1/2"	5/32"	28
3/4"	3/16"	40
1"	1/4"	73
1 1/4"	5/16"	126
1 1/2"	3/8"	142
2"	7/16"	283

BLACK PULLEY BLOCKS

BLACK BLOCK CAST IRON



SIZE (MM)	S.W.L (KGS)	DIAM OF ROPE (MM)
75	150	20
100	150	20
120	150	20
145	150	20
165	200	22
180	200	22
195	200	24
200	200	24
220	220	24
250	250	26
300	300	32

BLACK BLOCK CAST IRON WITH HEAVY HOOK



SIZE (MM)	S.W.L (KGS)	DIAM OF ROPE (MM)
75	150	20
100	150	20
120	150	20
145	150	20
165	200	22
180	200	22
195	200	24
200	200	24
220	250	24
250	250	26
300	300	32

BLACK BLOCK CAST IRON WITH HEAVY HOOK AND PROTECTOR



SIZE (MM)	S.W.L (KGS)	DIAM OF ROPE (MM)
75	150	20
100	150	20
120	150	20
145	150	20
165	200	22
180	200	22
195	200	24
200	200	24
220	250	24
250	250	26
300	300	32

STAINLESS STEEL PULLEYS

STAINLESS STEEL SINGLE SWIVEL PULLEY BLOCK



SIZE	SWL kgs	BL kgs
15	--	--
20	--	--
25	375	1500
32	425	1800
50	700	3500

STAINLESS STEEL DOUBLE SWIVEL PULLEY BLOCK



SIZE	A mm	B mm	C mm	D mm	E mm	SWL kgs	BL kgs
20	70	23	6	8	--	--	--
25	103	25	12	14	30	500	2000
32	116	32	12	14	36	575	2300
50	150	50	15	20	54	850	3400

STAINLESS STEEL CLOSE SINGLE PULLEY BLOCK



SIZE	W.L.L	DIAM OF ROPE
(IN)	(LBS)	(IN)
3	1400	9/16
4	2000	5/8
5	3000	3/4

STAINLESS STEEL CLOSE DOUBLE PULLEY BLOCK



SIZE	W.L.L	DIAM OF ROPE
(IN)	(TON)	(IN)
3	1400	9/16
4	2000	5/8
5	3000	3/4

STAINLESS STEEL OPEN SINGLE PULLEY BLOCK



SIZE	W.L.L	DIAM OF ROPE
(IN)	(LBS)	(IN)
3	1400	9/16
4	2000	5/8
5	3000	3/4